

ROCKER SWITCHES

<p>WITH ILLUMINATION SPST R13-90PBRR4 ON-OFF</p> <ul style="list-style-type: none"> Rating: cULus: AC125V 16A / AC250V 10A Life: 10,000 Cycles Lamp: Red, AC125V / 250V <p>Panel Mounting Hole</p> <table border="1"> <thead> <tr> <th>Thickness of Mounting Board</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>0.75-1.25mm</td> <td>30.2mm</td> </tr> <tr> <td>1.25-2mm</td> <td>30.4mm</td> </tr> <tr> <td>2-3mm</td> <td>30.8mm</td> </tr> </tbody> </table>	Thickness of Mounting Board	C	0.75-1.25mm	30.2mm	1.25-2mm	30.4mm	2-3mm	30.8mm	<p>SPST R13-221AB1 ON-OFF</p> <ul style="list-style-type: none"> Rating: cULus: AC125V 16A / AC250V 10A Life: 10,000 Cycles <p>Panel Mounting Hole</p> <table border="1"> <thead> <tr> <th>Thickness of Mounting Board</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>0.75-1.25mm</td> <td>30.2mm</td> </tr> <tr> <td>1.25-2mm</td> <td>30.4mm</td> </tr> <tr> <td>2-3mm</td> <td>30.8mm</td> </tr> </tbody> </table>	Thickness of Mounting Board	C	0.75-1.25mm	30.2mm	1.25-2mm	30.4mm	2-3mm	30.8mm																			
Thickness of Mounting Board	C																																			
0.75-1.25mm	30.2mm																																			
1.25-2mm	30.4mm																																			
2-3mm	30.8mm																																			
Thickness of Mounting Board	C																																			
0.75-1.25mm	30.2mm																																			
1.25-2mm	30.4mm																																			
2-3mm	30.8mm																																			
<p>WITH ILLUMINATION SPST R13-221BB ON-OFF</p> <ul style="list-style-type: none"> Rating: cULus: AC125V 16A / AC250V 10A Life: 10,000 Cycles <p>Panel Mounting Hole</p> <table border="1"> <thead> <tr> <th>Thickness of Mounting Board</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>0.75-1.25mm</td> <td>30.2mm</td> </tr> <tr> <td>1.25-2mm</td> <td>30.4mm</td> </tr> <tr> <td>2-3mm</td> <td>30.8mm</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th rowspan="2">Switching Function</th> <th colspan="3">Rocker Marking</th> </tr> <tr> <th>SPST</th> <th>SPST</th> <th>SPST</th> </tr> </thead> <tbody> <tr> <td>POLES</td> <td>SPST</td> <td>SPST</td> <td>SPST</td> </tr> <tr> <td>Lamp</td> <td>Green</td> <td>Red</td> <td>Yellow</td> </tr> <tr> <td>ON-OFF</td> <td>R13-221 BBG0</td> <td>R13-221 BBR0</td> <td>R13-221 BBAR0</td> </tr> </tbody> </table>	Thickness of Mounting Board	C	0.75-1.25mm	30.2mm	1.25-2mm	30.4mm	2-3mm	30.8mm	Switching Function	Rocker Marking			SPST	SPST	SPST	POLES	SPST	SPST	SPST	Lamp	Green	Red	Yellow	ON-OFF	R13-221 BBG0	R13-221 BBR0	R13-221 BBAR0	<p>SPDT R13-221DB0 ON-OFF-ON</p> <ul style="list-style-type: none"> Rating: cULus: AC125V 16A / AC250V 10A Life: 10,000 Cycles <p>Panel Mounting Hole</p> <table border="1"> <thead> <tr> <th>Thickness of Mounting Board</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>0.75-1.25mm</td> <td>30.2mm</td> </tr> <tr> <td>1.25-2mm</td> <td>30.4mm</td> </tr> <tr> <td>2-3mm</td> <td>30.8mm</td> </tr> </tbody> </table>	Thickness of Mounting Board	C	0.75-1.25mm	30.2mm	1.25-2mm	30.4mm	2-3mm	30.8mm
Thickness of Mounting Board	C																																			
0.75-1.25mm	30.2mm																																			
1.25-2mm	30.4mm																																			
2-3mm	30.8mm																																			
Switching Function	Rocker Marking																																			
	SPST	SPST	SPST																																	
POLES	SPST	SPST	SPST																																	
Lamp	Green	Red	Yellow																																	
ON-OFF	R13-221 BBG0	R13-221 BBR0	R13-221 BBAR0																																	
Thickness of Mounting Board	C																																			
0.75-1.25mm	30.2mm																																			
1.25-2mm	30.4mm																																			
2-3mm	30.8mm																																			
<p>SPST R13-135AB4 ON-OFF</p> <ul style="list-style-type: none"> Rating: cULus: AC125V 16A / AC250V 10A DEMKO / ENEC: AC125V / 250V 16(4)A QCQ: AC125V 10A / AC250V 6A Life: 10,000 Cycles <p>Panel Cut-Out Dim.</p>	<p>SPST R13-208AB1 ON-OFF</p> <ul style="list-style-type: none"> Rating: cULus: AC125V 16A / AC250V 10A DEMKO / ENEC: AC125V / 250V 10(4)A QCQ: AC125V 10A / AC250V 6A Life: 10,000 Cycles <p>Panel Cut-Out Dim.</p>																																			
<p>SPST R13-257AAB1 ON-OFF</p> <ul style="list-style-type: none"> Rating: cULus: AC125V 16A / AC250V 10A Life: 10,000 Cycles <p>Panel Cut-Out Dim.</p> <p>Panel Thickness: 0.7-4.0mm</p>	<p>SPST R13-296AB ON-OFF</p> <ul style="list-style-type: none"> Rating: AC125V 3A / AC250V 3A Life: 10,000 Cycles <p>Panel Mounting Hole</p> <table border="1"> <thead> <tr> <th rowspan="2">Switching Function</th> <th colspan="4">Rocker Marking</th> </tr> <tr> <th>SPST</th> <th>SPST</th> <th>SPST</th> <th>SPST</th> </tr> </thead> <tbody> <tr> <td>POLES</td> <td>SPST</td> <td>SPST</td> <td>SPST</td> <td>SPST</td> </tr> <tr> <td>ON-OFF</td> <td>R13-296 AB0</td> <td>R13-296 AB1</td> <td>R13-296 AB2</td> <td>R13-296 AB3</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Thickness of Mounting Board</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>0.75-1.25mm</td> <td>13.6mm</td> </tr> <tr> <td>1.25-2mm</td> <td>13.8mm</td> </tr> <tr> <td>2-3mm</td> <td>14.0mm</td> </tr> </tbody> </table>	Switching Function	Rocker Marking				SPST	SPST	SPST	SPST	POLES	SPST	SPST	SPST	SPST	ON-OFF	R13-296 AB0	R13-296 AB1	R13-296 AB2	R13-296 AB3	Thickness of Mounting Board	C	0.75-1.25mm	13.6mm	1.25-2mm	13.8mm	2-3mm	14.0mm								
Switching Function	Rocker Marking																																			
	SPST	SPST	SPST	SPST																																
POLES	SPST	SPST	SPST	SPST																																
ON-OFF	R13-296 AB0	R13-296 AB1	R13-296 AB2	R13-296 AB3																																
Thickness of Mounting Board	C																																			
0.75-1.25mm	13.6mm																																			
1.25-2mm	13.8mm																																			
2-3mm	14.0mm																																			