

# ROCKER SWITCHES

**SPST R13-135AB4 ON-OFF**

- Rating: cULus: AC125V 16A / AC250V 10A  
DEMKO / ENEC: AC125V / 250V 16(4)A  
CQC: AC125V 10A / AC250V 6A
- Life: 10,000 Cycles

Panel Cut-Out Dim.

Thickness of Mounting Board	C
0.75-1.25mm	30.2mm
1.25-2mm	30.4mm
2-3mm	30.8mm

**SPST R13-221AB1 ON-OFF**

- Rating: cULus: AC125V 16A / AC250V 10A
- Life: 10,000 Cycles

Panel Mounting Hole

Thickness of Mounting Board	C
0.75-1.25mm	30.2mm
1.25-2mm	30.4mm
2-3mm	30.8mm

**WITH ILLUMINATION SPST R13-221BB ON-OFF**

- Rating: cULus: AC125V 16A / AC250V 10A
- Life: 10,000 Cycles

Panel Mounting Hole

Thickness of Mounting Board	C
0.75-1.25mm	30.2mm
1.25-2mm	30.4mm
2-3mm	30.8mm

Switching Function	Rocker Marking		
POLES	SPST	SPST	SPST
Lamp	Green	Red	Yellow
ON-OFF	R13-221BBG0	R13-221BBR0	R13-221BBAR0

**SPST R13-221DB0 ON-OFF-ON**

- Rating: cULus: AC125V 16A / AC250V 10A
- Life: 10,000 Cycles

Panel Mounting Hole

Thickness of Mounting Board	C
0.75-1.25mm	30.2mm
1.25-2mm	30.4mm
2-3mm	30.8mm

**SPST R13-208AB1 ON-OFF**

- Rating: cULus: AC125V 16A / AC250V 10A  
cULus / DEMKO / ENEC: AC125V / 250V 10(4)A  
CQC: AC125V 10A / AC250V 6A
- Life: 10,000 Cycles

Panel Cut-Out Dim.

Panel Thickness: 2.0-3.0mm

Panel Thickness: 0.7-3.0mm

**WITH ILLUMINATION SPST ON-OFF R13-208BBR0-110V**

- Rating: cULus: AC125V 16A / AC250V 10A  
cULus / DEMKO / ENEC: AC125V / 250V 10(4)A  
CQC: AC125V 10A / AC250V 6A
- Life: 10,000 Cycles

Panel Cut-Out Dim.

Panel Thickness: 2.0-3.0mm

Panel Thickness: 0.7-3.0mm

**SPST R13-257AAB1 ON-OFF**

- Rating: cULus: AC125V 16A / AC250V 10A
- Life: 10,000 Cycles

Panel Cut-Out Dim.

Panel Thickness: 0.7-4.0mm

**SPST R13-296AB ON-OFF**

- Rating: AC125V 3A / AC250V 3A
- Life: 10,000 Cycles

Panel Mounting Hole

Thickness of Mounting Board	C
0.75-1.25mm	13.6mm
1.25-2mm	13.8mm
2-3mm	14.0mm

Switching Function	Rocker Marking			
POLES	SPST	SPST	SPST	SPST
ON-OFF	R13-296AB0	R13-296AB1	R13-296AB2	R13-296AB3