





P.C.B TERMINAL POSITION



LOCK OPEND





**51 PIN ~ 60 PIN ONLY
INSERTION DEPTH OF FPC**



SECT. D-D


FPC • FFC DIMENSIONS

SOLDERING CONDITIONS



SPECIFICATIONS

PARTS NO.	PIN	A	B	C
FPC3-06	6	2.5	6.1	5.7
FPC3-07	7	3.0	6.6	6.2
FPC3-08	8	3.5	7.1	6.7
FPC3-09	9	4.0	7.6	7.2
FPC3-10	10	4.5	8.1	7.7
FPC3-11	11	5.0	8.6	8.2
FPC3-12	12	5.5	9.1	8.7
FPC3-13	13	6.0	9.6	9.2
FPC3-14	14	6.5	10.1	9.7
FPC3-15	15	7.0	10.6	10.2
FPC3-16	16	7.5	11.1	10.7
FPC3-17	17	8.0	11.6	11.2
FPC3-18	18	8.5	12.1	11.7
FPC3-19	19	9.0	12.6	12.2
FPC3-20	20	9.5	13.1	12.7
FPC3-21	21	10.0	13.6	13.2
FPC3-22	22	10.5	14.1	13.7
FPC3-23	23	11.0	14.6	14.2
FPC3-24	24	11.5	15.1	14.7
FPC3-25	25	12.0	15.6	15.2
FPC3-26	26	12.5	16.1	15.7
FPC3-27	27	13.0	16.6	16.2
FPC3-28	28	13.5	17.1	16.7
FPC3-29	29	14.0	17.6	17.2
FPC3-30	30	14.5	18.1	17.7
FPC3-31	31	15.0	18.6	18.2
FPC3-32	32	15.5	19.1	18.7
FPC3-33	33	16.0	19.6	19.2
FPC3-34	34	16.5	20.1	19.7
FPC3-35	35	17.0	20.6	20.2
FPC3-36	36	17.5	21.1	20.7
FPC3-37	37	18.0	21.6	21.2
FPC3-38	38	18.5	22.1	21.7
FPC3-39	39	19.0	22.6	22.2
FPC3-40	40	19.5	23.1	22.7
FPC3-41	41	20.0	23.6	23.2
FPC3-42	42	20.5	24.1	23.7
FPC3-43	43	21.0	24.6	24.2
FPC3-44	44	21.5	25.1	24.7
FPC3-45	45	22.0	25.6	25.2
FPC3-46	46	22.5	26.1	25.7
FPC3-47	47	23.0	26.6	26.2
FPC3-48	48	23.5	27.1	26.7
FPC3-49	49	24.0	27.6	27.2
FPC3-50	50	24.5	28.1	27.7
FPC3-51	51	25.0	28.6	28.2
FPC3-52	52	25.5	29.1	28.7
FPC3-53	53	26.0	29.6	29.2
FPC3-54	54	26.5	30.1	29.7
FPC3-55	55	27.0	30.6	30.2
FPC3-56	56	27.5	31.1	30.7
FPC3-57	57	28.0	31.6	31.2
FPC3-58	58	28.5	32.1	31.7
FPC3-59	59	29.0	32.6	32.2
FPC3-60	60	29.5	33.1	32.7



1. Rating : AC/DC 50V 500mA
2. Contact Resistance : 30mΩ Max.
3. Insulation Resistance : 100MΩ Min. at DC 250V
4. Dielectric Strength : AC 250V for 1 Minute
5. Package : 2,000 Pcs/Reel
6. Operating Temperature Range : -40~+85°C
7. Reflow Soldering Profile : According Reflow Profile Max. 2 Times

REVISION:	DATE:	REVISION:	DATE:
UNIT:mm	THIRD ANGLE PROJECTION METHOD	TOL. UNLESS OTHERWISE STATED:±0.3	CODE NO.:HCH-1186
ISSUED	CONFIRMED	PART NO.	
John	Joey	FPC3	
2007.12.17	2007.12.17	HORNG CHIH 鴻琪股份有限公司	